List of publications [1]
Romain Brossier

Publications in peer-reviewed international journals

[1] Ludovic Métivier, Grégory Bièvre, Romain Brossier, Jian Cao, Stéphane Garambois, Ahmed Nouibat, Giuseppe Provenzano, and Alizia Tarayoun. Elastic full-waveform inversion of seismic ambient noise. *The Leading Edge*, 44(5) :373a1–373a12, 2025.

[2] F A Fachtony, R Brossier, B Boddupalli, B Dupuy, L Métivier, and A Romdhane. Co2 monitoring at sleipner field using reflection oriented full waveform inversion : part 2—4d investigation. *Geophysical Journal International*, 242(1) :ggaf185, 05 2025.

[3] F A Fachtony, R Brossier, B Boddupalli, B Dupuy, L Métivier, and A Romdhane. Co2 monitoring at sleipner field using reflection oriented full waveform inversion—part 1 : baseline reconstruction. *Geophysical Journal International*, 241(2) :1226–1242, 03 2025.

[4] Andrzej Górszczyk, Rafael Almeida, Romain Brossier, Ludovic Métivier, and Stéphane Operto. Constraining the effect of bathymetric high subduction in an accretionary wedge : Evidence from the tokai area of the nankai trough, japan. *Geochemistry, Geophysics, Geosystems*, 26(3) :e2024GC011754, 2025. e2024GC011754 2024GC011754.

[5] L Métivier and R Brossier. On the adjoint state method for the gradient computation in full waveform inversion : a complete mathematical derivation for the (visco-)elastodynamics approximation. *Geophysical Journal International*, 240(2) :942–966, 11 2024.

[6] Amine Abdellaziz, Romain Brossier, Ludovic Métivier, and Édouard Oudet. Optimal experimental design for full waveform inversion using a wavenumber sampling criterion—part 1 : 2-d to methodological development. *Geophysical Journal International*, 240(3) :1429–1459, 12 2024.

[7] Amine Abdellaziz, Romain Brossier, Ludovic Métivier, and Édouard Oudet. Optimal experimental design for full waveform inversion using a wavenumber sampling criterion—part 2 : 3-d extension and practical application. *Geophysical Journal International*, 240(3) :1460–1480, 12 2024.

[8] Peng Yong, Romain Brossier, and Ludovic Métivier. Inversion strategies for q estimation in viscoacoustic full-waveform inversion. *GEOPHYSICS*, 89(5) :R399–R413, 2024.

[9] Alain Manceau, Romain Brossier, Olivier Mathon, Kirill A. Lomachenko, Marius Retegan, Pieter Glatzel, and Stephan N. Steinmann. *DFT2FEFFIT* : a density-functional-theory-based structural toolkit to analyze EXAFS spectra. *Journal of Applied Crystallography*, 57(4), Aug 2024.

[10] J Cao, R Brossier, Y Capdeville, L Métivier, and S Sambolian. A fully scalable homogenization method to upscale 3-D elastic media. *Geophysical Journal International*, 238(1) :72–90, 04 2024.

1. [update 09/2018], an up-to-date list in also available at `https://users.isterre.fr/brossier/`, with links to pdfs or publisher pages for most of publications and proceedings

[11] Alexandre Hoffmann, Romain Brossier, Ludovic Métivier, and Alizia Tarayoun. Local uncertainty quantification for 3-D time-domain full-waveform inversion with ensemble Kalman filters : application to a North Sea OBC data set. *Geophysical Journal International*, 237(3) :1353–1383, 03 2024.

[12] Andrzej Górszczyk, Romain Brossier, and Ludovic Métivier. On the effect of 3d wave propagation on 2d regional-scale velocity model building. *Journal of Geophysical Research : Solid Earth*, 129(3) :e2023JB028172, 2024. e2023JB028172 2023JB028172.

[13] Alain Manceau, Olivier Mathon, Kirill A. Lomachenko, Mauro Rovezzi, Kristina O. Kvashnina, Marie-Christine Boiron, Romain Brossier, and Stephan N. Steinmann. Revealing the incorporation of cerium in fluorapatite. *ACS Earth and Space Chemistry*, 8(1) :119–128, 2024.

[14] Ludovic Métivier, Romain Brossier, Alexandre Hoffmann, Jean-Marie Mirebeau, Giuseppe Provenzano, Alizia Tarayoun, and Peng Yong. Coherence-enhancing anisotropic diffusion filter for 3d high-resolution reconstruction of p-wave velocity and density using full-waveform inversion : Application to a north sea ocean bottom cable data set. *GEOPHYSICS*, 89(1) :R33–R58, 2024.

[15] Giuseppe Provenzano, Romain Brossier, and Ludovic Métivier. Robust and efficient waveform-based velocity model building by optimal transport in the pseudotime domain : An ocean-bottom cable case study in the north sea. *GEOPHYSICS*, 89(2) :B83–B103, 2024.

[16] Giuseppe Provenzano, Romain Brossier, and Ludovic Métivier. Robust and efficient waveform-based velocity-model-building by optimal-transport in the pseudotime domain : methodology. *Geophysics*, 88(2) :U49–U70, 2023.

[17] A. Nouibat, R. Brossier, L. Stehly, J. Cao, A. Paul, and Cifalps Team and AlpArray Working Group . Ambient-noise wave-equation tomography of the alps and ligurian-provence basin. *Journal of Geophysical Research : Solid Earth*, 128(10) :e2023JB026776, 2023. e2023JB026776 2023JB026776.

[18] Ludovic Métivier and Romain Brossier. On the use of nonlinear anisotropic diffusion filters for seismic imaging using the full waveform. *Inverse Problems*, 38(11) :115001, 2022.

[19] Ludovic Métivier, Romain Brossier, Félix Kpadonou, Jérémie Messud, and Arnaud Pladys. A review of the use of optimal transport distances for high resolution seismic imaging based on the full waveform. *MathematicS In Action*, 11(1) :3–42, 2022.

[20] Peng Yong, Romain Brossier, Ludovic Métivier, and Jean Virieux. Localized adaptive waveform inversion : theory and numerical verification. *Geophysical Journal International*, 233(2) :1055–1080, 2023.

[21] Peng Yong, Romain Brossier, Ludovic Métivier, and Jean Virieux. Localized adaptive waveform inversion : regularizations for Gabor deconvolution and 3-D field data application. *Geophysical Journal International*, 235(1) :448–467, 05 2023.

[22] Giuseppe Provenzano, Romain Brossier, and Ludovic Métivier. Robust and efficient waveform-based velocity-model building by optimal transport in the pseudotime domain : Methodology. *GEOPHYSICS*, 88(2) :U49–U70, 2023.

[23] Jet Hoe Tang, Romain Brossier, and Ludovic Métivier. Fully scalable solver for frequency-domain visco-elastic wave equations in 3d heterogeneous media : A controllability approach. *Journal of Computational Physics*, 468 :111514, 2022.

[24] A. Nouibat, L. Stehly, A. Paul, S. Schwartz, Y. Rolland, T. Dumont, W. C. Crawford, R. Brossier, and Cifalps Team, and AlpArray Working Group . Ambient-noise tomography of the ligurian-provence basin using the alparray onshore-offshore network : Insights for the oceanic domain structure. *Journal of Geophysical Research : Solid Earth*, 127(8) :e2022JB024228, 2022. e2022JB024228 2022JB024228.

[25] Arnaud Pladys, Romain Brossier, Nishant Kamath, and Ludovic Métivier. Robust FWI with graph space optimal transport : application to 3D OBC Valhall data. *Geophysics*, 87(3) :1–76, 2022.

[26] Ludovic Métivier and Romain Brossier. Receiver-extension strategy for time-domain full-waveform inversion using a relocalization approach. *GEOPHYSICS*, 87(1) :R13–R33, 2022.

[27] T M Irnaka, R Brossier, L Métivier, T Bohlen, and Y Pan. 3-D multicomponent full waveform inversion for shallow-seismic target : Ettlingen Line case study. *Geophysical Journal International*, 229(2) :1017–1040, 12 2022.

[28] Jian Cao, Romain Brossier, Andrzej Górszczyk, Ludovic Métivier, and Jean Virieux. 3-D multiparameter full-waveform inversion for ocean-bottom seismic data using an efficient fluid–solid coupled spectral-element solver. *Geophysical Journal International*, 229(1) :671–703, 2022.

[29] A Nouibat, L Stehly, A Paul, S Schwartz, T Bodin, T Dumont, Y Rolland, R Brossier, Cifalps Team, and AlpArray Working Group. Lithospheric transdimensional ambient-noise tomography of W-Europe : implications for crustal-scale geometry of the W-Alps. *Geophysical Journal International*, 229(2) :862–879, 12 2022.

[30] P T C Carvalho, S L E F da Silva, E F Duarte, R Brossier, G Corso, and J M de Araújo. Full waveform inversion based on the non-parametric estimate of the probability distribution of the residuals. *Geophysical Journal International*, 229(1) :35–55, 2022.

[31] Peng Yong, Romain Brossier, and Ludovic Métivier. Parsimonious truncated newton method for time-domain full-waveform inversion based on the fourier-domain full-scattered-field approximation. *Geophysics*, 87(1) :R123–R146, 2022.

[32] Alain Manceau, Romain Brossier, and Brett Poulin. Response to comment on "mercury isotope fractionation by internal demethylation and biomineralization reactions in seabirds : Implications for environmental mercury science" : Principles and limitations of source tracing and process tracing with stable isotope signatures. *Environ. Sci. Technol.*, 56(3) :2065–2068, 2022.

[33] Alain Manceau, Romain Brossier, and Brett Poulin. Mercury isotope fractionation by internal demethylation and biomineralization reactions in seabirds : Implications for environmental mercury science. *Environ. Sci. Technol.*, 55(20) :13942–13952, 2021.

[34] Alain Manceau, Romain Brossier, and Brett Poulin. Chemical forms of mercury in pilot whales determined from species-averaged mercury isotope signatures. *ACS Earth and Space Chemistry*, 5(6) :1591–1599, 2021.

[35] Daniela Teodor, Cesare Comina, Farbod Khosro Anjom, Romain Brossier, Laura Valentina Socco, and Jean Virieux. Challenges in shallow target reconstruction by 3d elastic full-waveform inversion — which initial model ? *GEOPHYSICS*, 86(4) :R433–R446, 2021.

[36] Andrzej Górszczyk, Romain Brossier, and Ludovic Métivier. Graph-space optimal transport concept for time-domain full-waveform inversion of ocean-bottom seismometer data : Nankai trough velocity structure reconstructed from a 1d model. *Journal of Geophysical Research : Solid Earth*, 126(5) :e2020JB021504, 2021. e2020JB021504 2020JB021504.

[37] A. Pladys, R. Brossier, Y. Li, and L. Métivier. On cycle-skipping and misfit function modification for full-wave inversion : Comparison of five recent approaches. *Geophysics*, 86(4) :R563–R587, 2021.

[38] Nishant Kamath, Romain Brossier, Ludovic Métivier, Arnaud Pladys, and Pengliang Yang. Multiparameter full-waveform inversion of 3D OBC data from the Valhall field. *Geophysics*, 86 :B15–B35, 2021.

[39] François Lavoué, Olivier Coutant, Pierre Boué, Laura Pinzon-Rincon, Florent Brenguier, Romain Brossier, Philippe Dales, Meysam Rezaeifar, and Christopher J. Bean. Understanding seismic waves generated by train traffic via modelling : implications for seismic imaging and monitoring. *Seismological Research Letters*, 92(1) :287–300, 2021.

[40] Yang Li, Romain Brossier, and Ludovic Métivier. 3d frequency-domain elastic wave modeling with the spectral element method using a massively parallel direct solver. *GEOPHYSICS*, 85(2) :T71–T88, 2020.

[41] Y Lu, L Stehly, R Brossier, A Paul, and AlpArray Working Group. Imaging Alpine crust using ambient noise wave-equation tomography. *Geophysical Journal International*, 222(1) :69–85, 03 2020.

[42] J Thurin, R Brossier, and L Métivier. Ensemble-based uncertainty estimation in full waveform inversion. *Geophysical Journal International*, 219(3) :1613–1635, 08 2019.

[43] Weiguang He, Romain Brossier, Ludovic Métivier, and René-Édouard Plessix. Land seismic multi-parameter full waveform inversion in elastic VTI media by simultaneously interpreting body waves and surface waves with an optimal transport based objective function. *Geophysical Journal International*, 219(3) :1970–1988, 09 2019. ggz414.

[44] Farbod Khosro Anjom, Daniela Teodor, Cesare Comina, Romain Brossier, Jean Virieux, and Laura Valentina Socco. Full waveform matching of vp and vs models from surface waves. *Geophysical Journal International*, 218(3) :1873–1891, 06 2019.

[45] L Métivier, R Brossier, Q Mérigot, and E Oudet. A graph space optimal transport distance as a generalization of lp distances : application to a seismic imaging inverse problem. *Inverse Problems*, 35(8) :085001, jul 2019.

[46] Paul Wellington, Romain Brossier, and Jean Virieux. Preconditioning Full Waveform Inversion with local correlation operators. *Geophysics*, 84(3) :R321–R332, 2019.

[47] Phuong-Thu Trinh, Romain Brossier, Ludovic Metivier, Laure Tavard, and Jean Virieux. Efficient time-domain 3d elastic and visco-elastic fwi using a spectral-element method on flexible cartesian-based mesh. *Geophysics*, 84(1) :R75–R97, 2019.

[48] Ludovic Métivier, Aude Allain, Romain Brossier, Quentin Mérigot, Edouard Oudet, and Jean Virieux. Optimal transport for mitigating cycle skipping in full waveform inversion : a graph space transform approach. *GEOPHYSICS*, 83(5) :R515–R540, 2018.

[49] P. Yang, R. Brossier, L. Métivier, J. Virieux, and W. Zhou. A time-domain preconditioned truncated newton approach to visco-acoustic multiparameter full waveform inversion. *SIAM Journal on Scientific Computing*, 40(4) :B1101–B1130, 2018.

[50] Wei Zhou, Romain Brossier, Stéphane Operto, Jean Virieux, and Pengliang Yang. Velocity model building by waveform inversion of early arrivals and reflections : A 2d case study with gas-cloud effects. *GEOPHYSICS*, 83(2) :R141–R157, 2018.

[51] P.T. Trinh, R. Brossier, L. Métivier, J. Virieux, and P. Wellington. Bessel smoothing filter for spectral-element mesh. *Geophysical Journal International*, 209(3) :1489–1512, 2017.

[52] P.J. Wellington, R. Brossier, O. Hamitou, P.T. Trinh, and J. Virieux. Efficient anisotropic dip filtering via inverse correlation functions. *Geophysics*, 82(4) :A31–A35, 2017.

[53] L. Métivier, R. Brossier, S. Operto, and J. Virieux. Full waveform inversion and the truncated newton method. *SIAM Review*, 59(1) :153–195, 2017.

[54] R. Brossier, L. Métivier, J. Virieux, P. Yang, and W. Zhou. A review of some methodological developments on full waveform inversion tackled in the seiscope group. *Geophysical Prospecting for Petroleum*, 56(1) :3, 2017.

[55] L. Métivier, R. Brossier, Q. Mérigot, E. Oudet, and J. Virieux. Increasing the robustness and applicability of full waveform inversion : an optimal transport distance strategy. *The Leading Edge*, 35(12) :1060–1067, 2016.

[56] L. Métivier, R. Brossier, Q. Mérigot, E. Oudet, and J. Virieux. An optimal transport approach for seismic tomography : application to 3d full waveform inversion. *Inverse Problems*, 32(11) :115008, 2016.

[57] Pengliang Yang, Romain Brossier, Ludovic Métivier, and Jean Virieux. Wavefield reconstruction in attenuating media : A checkpointing-assisted reverse-forward simulation method. *Geophysics*, 81(6) :R349–R362, 2016.

[58] P. Amestoy, R. Brossier, J.-Y. L'Excellent, T. Mary, L. Métivier, A. Miniussi, and . Operto. Fast 3D frequency-domain full waveform inversion with a parallel Block Low-Rank multifrontal direct solver : application to OBC data from the North Sea. *Geophysics*, 81(6) :R363–R383, 2016.

[59] Pengliang Yang, Romain Brossier, Ludovic Métivier, and Jean Virieux. A systematic formulation of 3d multiparameter full waveform inversion in viscoelastic medium. *Geophysical Journal International*, 207 :129–149, 2016.

[60] Y. Li, B. Han, L. Métivier, and R. Brossier. Optimal fourth-order staggered-grid finite-difference scheme for 3d frequency-domain viscoelastic wave modeling. *Journal of Computational Physics*, 321 :1055–1078, 2016.

[61] C. Voisin, S. Garambois, C. Massey, and R. Brossier. Seismic noise monitoring of the water table in a deep seated slow moving landslide. *Interpretation*, 4(3) :SJ67–SJ76, 2016.

[62] Pengliang Yang, Romain Brossier, and Jean Virieux. Wavefield reconstruction from significantly decimated boundaries. *Geophysics*, 81 :T197–T209, 2016.

[63] J. Virieux, R. Brossier, L. Métivier, S. Operto, and A. Ribodetti. Direct and indirect inversions. *Journal of Seismology*, 2016.

[64] L. Métivier, R. Brossier, Q. Mérigot, E. Oudet, and J. Virieux. Measuring the misfit between seismograms using an optimal transport distance : application to full waveform inversion. *Geophysical Journal International*, 205 :345–377, 2016.

[65] L. Métivier and R. Brossier. The seiscope optimization toolbox : A large-scale nonlinear optimization library based on reverse communication. *Geophysics*, 81 :F11–F25, 2016.

[66] B. Dupuy, A. Asnaashari, R. Brossier, S. Garambois, L. Métivier, A. Ribodetti, and Jean Virieux. A downscaling strategy from fwi to microscale reservoir properties from high-resolution images. *The Leading Edge*, 35 :1146–150, 2016.

[67] Longfei Gao, Romain Brossier, and Jean Virieux. Using time filtering to control the long-time instability in seismic wave simulation. *Geophysical Journal International*, 204 :1443–1461, 2016.

[68] Longfei Gao, Romain Brossier, Benjamin Pajot, Josue Tago, and Jean Virieux. An immersed free-surface boundary treatment for seismic wave simulation. *Geophysics*, 80(5) :T193–T209, 2015.

[69] Wei Zhou, Romain Brossier, Stéphane Operto, and J. Virieux. Full waveform inversion of diving & reflected waves for velocity model building with impedance inversion based on scale separation. *Geophysical Journal International*, 202(3) :1535–1554, 2015.

[70] S. Operto, A. Miniussi, R. Brossier, L. Combe, L. Métivier, V. Monteiller, A. Ribodetti, and J. Virieux. Efficient three-dimensional frequency-domain full-waveform inversion of ocean-bottom cable data : application to Valhall in the visco-acoustic vertical transverse isotropic approximation. *Geophysical Journal International*, 202(2) :1362–1391, 2015.

[71] Ludovic Métivier, Romain Brossier, and Jean Virieux. Combining asymptotic linearized inversion and full waveform inversion. *Geophysical Journal International*, 201(3) :1682–1703, 2015.

[72] Yang Li, Ludovic Métivier, Romain Brossier, Bo Han, and Jean Virieux. 2d and 3d frequency-domain elastic wave modeling in complex media with a parallel iterative solver. *Geophysics*, 80(3) :T101–T118, 2015.

[73] C. Castellanos, L. Métivier, S. Operto, R. Brossier, and J. Virieux. Fast full waveform inversion with source encoding and second-order optimization methods. *Geophysical Journal International*, 200(2) :718–742, 2015.

[74] F. Lavoué, R. Brossier, L. Métivier, S. Operto, S. Garambois, and J. Virieux. Frequency-domain modelling and inversion of electromagnetic data for 2d permittivity and conductivity imaging : An application to the institut fresnel experimental data. *Near Surface Geophysics*, 13(3) :227–241, 2015.

[75] R. Brossier, S. Operto, and J. Virieux. Velocity model building from seismic reflection data by full waveform inversion. *Geophysical Prospecting*, 63(2) :354–367, 2015.

[76] A. Asnaashari, R. Brossier, S. Garambois, F. Audebert, P. Thore, and J. Virieux. Time-lapse seismic imaging using regularized fwi with prior model : which strategy ? *Geophysical Prospecting*, 63(1) :78–98, 2015.

[77] L. Métivier, F. Bretaudeau, R. Brossier, S. Operto, and J. Virieux. Full waveform inversion and the truncated newton method : quantitative imaging of complex subsurface structure. *Geophysical Prospecting*, 62 :1353–1375, 2014.

[78] L. Métivier, R. Brossier, S. Labbé, S. Operto, and J. Virieux. Smart : dissipative absorbing layer technique for general elastodynamics equations. application as s-waves filter in acoustic ti media. *Seismic Technology*, 11(4) :1–14, 2014.

[79] Isabella Masoni, Romain Brossier, Jean-Luc Boelle, and Jean Virieux. Robust full waveform inversion of surface waves. *Seismic Technology*, 11(4) :1–19, 2014.

[80] S. Operto, R. Brossier, L. Combe, L. Métivier, A. Ribodetti, and J. Virieux. Fast and accurate three-dimensional visco-acoustic finite-difference frequency-domain seismic modeling in vertical transversely isotropic media with sparse direct solver. *Geophysics*, 79(5) :T257–T275, 2014.

[81] F. Lavoué, R. Brossier, L. Métivier, S. Garambois, and J. Virieux. 2d permittivity and conductivity imaging by full waveform inversion of multi-offset gpr data : A frequency-domain quasi-newton approach. *Geophysical Journal International*, 197(1) :246–268, 2014.

[82] L. Métivier, R. Brossier, S. Labbé, S. Operto, and J. Virieux. A robust absorbing layer method for anisotropic seismic wave modeling. *Journal of Computational Physics*, 279 :218–240, 2014.

[83] F. Bretaudeau, C. Gelis, D. Leparoux, J. Cabrera, P. Côte, and R. Brossier. High resolution quantitative seismic imaging of a strike-slip fault with small vertical offset in clay-rocks from underground galleries. experimental platform of tournemire, france. *Geophysics*, 79(1), 2014.

[84] Florian Aulanier, Barbara Nicolas, Jérôme I. Mars, Philippe Roux, and Romain Brossier. Shallow-water acoustic tomography from angle measurements instead of travel-time measurements. *The Journal of the Acoustical Society of America*, 134(4) :EL373–EL379, 2013.

[85] S. Operto, Y. Gholami, V. Prieux, A. Ribodetti, R. Brossier, L. Métivier, and J. Virieux. A guided tour of multiparameter full-waveform inversion with multicomponent data : From theory to practice. *The Leading Edge*, 32(9), 2013.

[86] V. Prieux, R. Brossier, S. Operto, and J. Virieux. Multiparameter full waveform inversion of multicomponent OBC data from valhall. part 2 : imaging compressional and shear-wave velocities. *Geophysical Journal International*, 194(3) :1665–1681, 2013.

[87] V. Prieux, R. Brossier, S. Operto, and J. Virieux. Multiparameter full waveform inversion of multicomponent OBC data from valhall. part 1 : imaging compressional wavespeed, density and attenuation. *Geophysical Journal International*, 194(3) :1640–1664, 2013.

[88] L. Métivier, R. Brossier, J. Virieux, and S. Operto. Full waveform inversion and the truncated newton method. *SIAM Journal On Scientific Computing*, 35(2) :B401–B437, 2013.

[89] F. Bretaudeau, R. Brossier, D. Leparoux, O. Abraham, and J. Virieux. 2D elastic full waveform imaging of the near surface : Application to synthetic and a physical modelling data sets. *Near Surface Geophysics*, 11(3) :307–316, 2013.

[90] D. Pageot, S. Operto, M. Vallée, R. Brossier, and J. Virieux. A parametric analysis of two-dimensional elastic full waveform inversion of teleseismic data for lithospheric imaging. *Geophysical Journal International*, 193 :1479–1505, 2013.

[91] A. Asnaashari, R. Brossier, S. Garambois, F. Audebert, P. Thore, and J. Virieux. Regularized seismic full waveform inversion with prior model information. *Geophysics*, 78(2) :R25–R36, 2013.

[92] Y. Gholami, R. Brossier, S. Operto, V. Prieux, A. Ribodetti, and Jean Virieux. Which parametrization for acoustic VTI full waveform inversion ? - part 2 : application to Valhall. *Geophysics*, 2 :R107–R124, 2013.

[93] Y. Gholami, R. Brossier, S. Operto, A. Ribodetti, and Jean Virieux. Which parametrization for acoustic VTI full waveform inversion ? - part 1 : sensitivity and trade-off analysis. *Geophysics*, 2 :R81–R105, 2013.

[94] V. Prieux, R. Brossier, Y. Gholami, S. Operto, J. Virieux, O.I. Barkved, and J.H. Kommedal. On the footprint of anisotropy on isotropic full waveform inversion : the Valhall case study. *Geophysical Journal International*, 187 :1495–1515, 2011.

[95] A. Romdhane, G. Grandjean, R. Brossier, F. Réjiba, S. Operto, and J. Virieux. Shallow structures characterization by 2d elastic waveform inversion. *Geophysics*, 76(3) :R81–R96, 2011.

[96] R. Brossier. Two-dimensional frequency-domain visco-elastic full waveform inversion : Parallel algorithms, optimization and performance. *Computers & Geosciences*, 37(4) :444 – 455, 2011.

[97] Romain Brossier, Stéphane Operto, and Jean Virieux. Which data residual norm for robust elastic frequency-domain full waveform inversion ? *Geophysics*, 75(3) :R37–R46, 2010.

[98] J. Virieux, S. Operto, H. Ben Hadj Ali, R. Brossier, V. Etienne, F. Sourbier, L. Giraud, and A. Haidar. Seismic wave modeling for seismic imaging. *The Leading Edge*, 28(5) :538–544, 2009.

[99] R. Brossier, S. Operto, and J. Virieux. Seismic imaging of complex onshore structures by 2D elastic frequency-domain full-waveform inversion. *Geophysics*, 74(6) :WCC105–WCC118, 2009.

[100] R. Brossier, S. Operto, and J. Virieux. Robust frequency-domain full-waveform inversion using the l_1 norm. *Geophysical Research Letters*, 36 :L20310, 2009.

[101] R. Brossier, J. Virieux, and S. Operto. Parsimonious finite-volume frequency-domain method for 2-D P-SV-wave modelling. *Geophysical Journal International*, 175(2) :541–559, 2008.

Book Chapters

[1] L. Métivier, A. Allain, R. Brossier, Q. Mérigot, and J. Oudet, E.and Virieux. On the use of optimal transport distances for a pde-constrained optimization problem in seismic imaging. In Harbir Antil, Drew P. Kouri, Martin-D. Lacasse, and Denis Ridzal, editors, *Frontiers in PDE-Constrained Optimization*, pages 377–397. Springer New York, New York, NY, 2018.

[2] J. Virieux, A. Asnaashari, R. Brossier, L. Métivier, A. Ribodetti, and W. Zhou. 6. an introduction to full waveform inversion. In Kees Wapenaar Vladimir Grechka, editor, *Geophysical References Series - Encyclopedia of Exploration Geophysics*, pages R1–1–R1–40. Society of Exploration Geophysicists, 2017.

[3] R. Brossier, J. Virieux, and S. Operto. Parsimonious finite-volume frequency-domain method for 2-D P-SV wave modelling. In J. O. A. Robertsson, J. O. Blanch, K. Nihei, and J. Tromp, editors, *Numerical modeling of seismic wave propagation : gridded two-way wave-equation methods*, page 37. Society of Exploration Geophysics - Geophysics reprint series No. 28, 2012.

[4] J. Virieux, V. Etienne, V. Cruz-Atienza, R. Brossier, E. Chaljub, O. Coutant, S. Garambois, D. Mercerat, V. Prieux, S. Operto, A. Ribodetti, and J. Tago. Modelling seismic wave propagation for geophysical imaging. In M. Kanao, editor, *Seismic Waves - Research and Analysis*, pages 253–304. InTech, 2012.

[5] R. Brossier, V. Etienne, S. Operto, and J. Virieux. Frequency-domain numerical modelling of visco-acoustic waves based on finite-difference and finite-element discontinuous galerkin methods. In D. W. Dissanayake, editor, *Acoustic Waves*, pages 125–158. SCIYO, 2010.

Thesis

[1] R. Brossier. *Imagerie sismique à deux dimensions des milieux visco-élastiques par inversion des formes d'onde :développements méthodologiques et applications.* PhD thesis, Université de Nice-Sophia-Antipolis, 2009.

[2] R. Brossier. *Contributions to developments and applications of Full Waveform Modeling and Inversion.* Habilitation à diriger des recherches en sciences de la planete, Université de Grenoble Alpes, 2016.

Proceedings of international conferences with peer-review

[1] M. Benziane, R. Brassier, and L. Métivier. 3d time-dependent receiver extension for fwi. 2025(1) :1–5, 2025.

[2] M. Benziane, R. Brossier, and L. Metivier. Time-dependent receiver extension for fwi : A dynamic programming approach. 2025(1) :1–5, 2025.

[3] P. Marchner, R. Brassier, and L. Metivier. Towards a unified view of uncertainty quantification methods for full waveform inversion. 2025(1) :1–5, 2025.

[4] A. Grange, R. Brossier, L. Métivier, and P. Roux. Glacier structure and icequakes characterization at argentière using fwi. 2025(1) :1–5, 2025.

[5] D. Schuster, L. Metivier, and R. Brossier. Seis_orc : The 'seiscope workflow orchestrator' for performing disaggregated fwi on hpc systems. 2025(1) :1–5, 2025.

[6] Giuseppe Provenzano, Grégory Biévre, Romain Brossier, Stéphane Garambois, and Ludovic Métivier. *Towards wave-equation ambient noise tomography of a landslide : The Harmalière case study*, pages 1632–1636. 2024.

[7] L. Metivier and R. Brossier. A unified mathematical framework to extension and convexification methods for full waveform inversion. 2024(1) :1–5, 2024.

[8] P. Yong, G. Provenzano, R. Brossier, and L. Métivier. Velocity model building by localized adaptive waveform inversion of early arrivals and reflections. 2024(1) :1–5, 2024.

[9] D. Schuster, L. Métivier, R. Brossier, and A. Tarayoun. On the efficient use of hpc ressources : Disaggregation of the full waveform inversion algorithm. 2024(1) :1–5, 2024.

[10] L. Metivier, R. Brossier, S. Sambolian, and A. Tarayoun. Multi-parameter fwi of broadband data : Beyond high resolution images. 2024(1) :1–5, 2024.

[11] A. Hoffmann, R. Brossier, L. Metivier, and A. Tarayoun. Uncertainty quantification for 3d fwi at an operational level : an ensemble transform kalman filter approach. 2024(1) :1–5, 2024.

[12] A. Abdellaziz, R. Brossier, L. Métivier, and É. Oudet. 3d seismic acquisition geometry optimization based on wavenumber sampling regularity for target-oriented full waveform inversion. 2024(1) :1–5, 2024.

[13] A. Grange, R. Brossier, L. Métivier, P. Roux, and J. Thurin. Argentière glacier characterization by full waveforms : Source inversion as a preliminary step. 2024(1) :1–5, 2024.

[14] F.A. Fachtony, R. Brossier, B. Dupuy, L. Metivier, and A. Romdhane. 4d fwi with reflection oriented workflow : Application to co2 monitoring at sleipner field. 2024(1) :1–5, 2024.

[15] L. Metivier, R. Brossier, A. Hoffmann, J. Mirebeau, G. Provenzano, A. Tarayoun, and P. Yong. Anisotropic diffusion filter for 3d full waveform inversion : application to a north sea dataset. In *84th EAGE Annual Conference & Exhibition*, volume 2023, pages 1–5. European Association of Geoscientists & Engineers, 2023.

[16] J. Cao, R. Brossier, Y. Capdeville, L. Métivier, and S. Sambolian. A fully scalable 3d non-periodic homogenization method to upscale elastic media. In *84th EAGE Annual Conference & Exhibition*, volume 2023, pages 1–5. European Association of Geoscientists & Engineers, 2023.

[17] F.A. Fachtony, R. Brossier, B. Dupuy, L. Metivier, and A. Romdhane. 4d fwi with short offset data : a reflection oriented approach. In *84th EAGE Annual Conference & Exhibition*, volume 2023, pages 1–5. European Association of Geoscientists & Engineers, 2023.

[18] S. Sambolian, R. Brossier, and L. Métivier. Time-domain fwi of full azimuth obn data from offshore north west australia. In *84th EAGE Annual Conference & Exhibition*, volume 2023, pages 1–5. European Association of Geoscientists & Engineers, 2023.

[19] M. Benziane, R. Brossier, and L. Métivier. Receiver extension strategy using a time-dependent relocalization approach for time-domain fwi. In *84th EAGE Annual Conference & Exhibition*, volume 2023, pages 1–5. European Association of Geoscientists & Engineers, 2023.

[20] M.A. Abdellaziz, R. Brossier, L. Métivier, and E. Oudet. Optimal experimental design in full waveform inversion. In *84th EAGE Annual Conference & Exhibition*, volume 2023, pages 1–5. European Association of Geoscientists & Engineers, 2023.

[21] A. Tarayoun, R. Brossier J. Cao, S. Jauré, S. Laforêt, and L. Métivier. HPC implementations on SEM46 : a 3D modeling and inversion code for anisotropic visco-elastic coupled acoustic media. In *Sixth EAGE Workshop on High Performance Computing*. European Association of Geoscientists & Engineers, 2022.

[22] J. Cao, R. Brossier, E. Cabrera, J. de la Puente, L. Métivier, and A. Tarayoun. GPU accelerated computing towards a fast and scalable seismic wave modelling in SEISCOPE SEM46 code. In *Sixth EAGE Workshop on High Performance Computing*. European Association of Geoscientists & Engineers, 2022.

[23] Andrzej Górszczyk, Rafael Almeida, Romain Brossier, and Ludovic Métivier. Structure of the tokai segment from the integrated high-resolution seismic imaging : A case study from the eastern nankai trough. In *Second International Meeting for Applied Geoscience & Energy*. Society of Exploration Geophysicists and American Association of Petroleum Geologists, August 2022.

[24] Jian Cao, Romain Brossier, and Ludovic Métivier. Elastic full-waveform inversion of 4c ocean-bottom seismic data : Model parameterization analysis. In *Second International Meeting for Applied Geoscience & Energy*, pages 957–961, 2022.

[25] G. Provenzano, R. Brossier, L. Métivier, and A. Pladys. Emancipating fwi imaging from traveltime tomography in valhall via optimal transport joint full waveform inversion. In *83rd EAGE Annual Conference & Exhibition*, 2022.

[26] S. Sambolian, R. Brossier, and L. Métivier. Exploiting the richness of multi-component data : a time-dependent polarization-based fwi approach. In *83rd Annual EAGE Meeting (Madrid)*. European Association of Geoscientists & Engineers, 2022.

[27] J. Cao, R. Brossier, and L. Métivier. Parameterization analysis in elastic full-waveform inversion of multi-component seismic data. In *83rd Annual EAGE Meeting (Madrid)*. European Association of Geoscientists & Engineers, 2022.

[28] Andrzej Górszczyk, Romain Brossier, and Ludovic Métivier. Nankai trough velocity structure reconstruction using fwi of wide-angle obs data with graph-space optimal transport misfit function. *Acta Geologica Sinica-English edition*, 91(S1) :11–14, 2021.

[29] Ludovic Métivier and Romain Brossier. New insights on the graph-space optimal transport distance for full-waveform inversion. In *First International Meeting for Applied Geoscience & Energy Expanded Abstracts*, pages 812–816, 2021.

[30] Jian Cao, Romain Brossier, and Ludovic Metivier. 3d fluid-solid coupled full-waveform inversion for ocean-bottom seismic data. In *First International Meeting for Applied Geoscience & Energy Expanded Abstracts*, pages 832–836, 2021.

[31] Jet Hoe Tang, Romain Brossier, and Ludovic Métivier. Solving frequency-domain elastic wave equations via parallel controllability methods. In *First International Meeting for Applied Geoscience & Energy Expanded Abstracts*, pages 2470–2474, 2021.

[32] Andrzej Górszczyk, Romain Brossier, and Ludovic Métivier. Regional-scale fwi of wide-angle obn data from a crude initial model using graph-space optimal transport. In *First International Meeting for Applied Geoscience & Energy Expanded Abstracts*, pages 707–711, 2021.

[33] Giuseppe Provenzano, Romain Brossier, Ludovic Métivier, and Wei Zhou. Pseudotime domain joint diving-reflected fwi using graph-space optimal transport. In *First International Meeting for Applied Geoscience & Energy Expanded Abstracts*, pages 797–801, 2021.

[34] Peng Yong, Romain Brossier, Ludovic Métivier, and Jean Virieux. ¡italic¿q¡/italic¿ estimation by full-waveform inversion : Analysis and misfit functions comparison. In *First International Meeting for Applied Geoscience & Energy Expanded Abstracts*, pages 827–831, 2021.

[35] Daniela Teodor, Cesare Comina, Laura Valentina Socco, Romain Brossier, and Jean Virieux. Imaging near-surface heterogeneities with high accuracy by dispersion curves analysis and 3d elastic full-waveform inversion : which acquisition layout ? In *First International Meeting for Applied Geoscience and Energy Expanded Abstracts*, pages 1927–1931, 2021.

[36] P. Yong, R. Brossier, and L. Métivier. Parsimonious time-domain truncated-newton method in fwi thanks to fourier-domain and "full scattered field" approximation. In *SEG Technical Program Expanded Abstracts 2020*, pages 830–834, 2020.

[37] A. Pladys, R. Brossier, M. Irnaka, N. Kamath, and L. Métivier. Graph space optimal transport based fwi : 3d obc valhall case study. In *SEG Technical Program Expanded Abstracts 2020*, pages 696–700, 2020.

[38] L. Métivier and R. Brossier. A receiver-extension approach for robust fwi. In *SEG Technical Program Expanded Abstracts 2020*, pages 641–645, 2020.

[39] G. Provenzano, R. Brossier, L. Métivier, and Yubing Li. Joint fwi of diving and reflected waves using a graph space optimal transport distance : synthetic tests on limited-offset surface seismic data. In *SEG Technical Program Expanded Abstracts 2020*, pages 780–784, 2020.

[40] T.M. Irnaka, R. Brossier, L. Métivier, T. Bohlen, and Y. Pan. Component analysis of 3d elastic 9c full waveform inversion : Ettlingen line case study. In *SEG Technical Program Expanded Abstracts 2020*, pages 795–799, 2020.

[41] Jian Cao, Romain Brossier, and Ludovic Métivier. 3d acoustic-(visco)elastic coupled formulation and its spectral-element implementation on a cartesian-based hexahedral mesh. In *SEG Technical Program Expanded Abstracts 2020*, pages 2643–2647, 2020.

[42] Y. Li, R. Brossier, and L. Metivier. On the comparison of mumps and strumpack for 3d frequency-domain elastic wave modeling. In *Expanded Abstracts, 82th Annual EAGE Conference & Exhibition*, page Online 1323. EAGE, 2020.

[43] J. Cao, R. Brossier, and L. Metivier. Comparison of formulations for representing the fluid-solid coupling using the spectral element method. In *Expanded Abstracts, 82th Annual EAGE Conference & Exhibition*, page Online 1336. EAGE, 2020.

[44] A. Górszczyk, R. Brossier, and L. Metivier. Relaxing the initial model constraint for crustal-scale full-waveform inversion with graph-space optimal transport misfit function. In *Expanded Abstracts, 82th Annual EAGE Conference & Exhibition*, page Online 943. EAGE, 2020.

[45] W. HE, R. Brossier, and L. Metivier. 3d elastic fwi for land seismic data : A graph space ot approach. In *Expanded Abstracts, 82th Annual EAGE Conference & Exhibition*, page WS02 10, 2020.

[46] Weiguang He, Romain Brossier, and Ludovic Métivier. 3d elastic fwi for land seismic data : A graph space ot approach. In *SEG Technical Program Expanded Abstracts 2019*, pages 1320–1324, 2019.

[47] A. Pladys, R. Brossier, M. Irnaka, N. Kamath, and L. Métivier. Assessment of optimal transport based fwi : 3d obc valhall case study. In *SEG Technical Program Expanded Abstracts 2019*, pages 1295–1299, 2019.

[48] Yang Li, Romain Brossier, and Ludovic Métivier. Feasibility study on 3d frequency-domain anisotropic elastic wave modeling using spectral element method with parallel direct linear solvers. In *SEG Technical Program Expanded Abstracts 2019*, pages 3770–3774, 2019.

[49] Nishant Kamath, Romain Brossier, Ludovic Métivier, and Pengliang Yang. Multiparameter full-waveform inversion of data from the valhall field. In *SEG Technical Program Expanded Abstracts 2019*, pages 1640–1644, 2019.

[50] Yubing Li, Romain Brossier, and Ludovic Métivier. Joint fwi for imaging deep structures : A graph-space ot approach. In *SEG Technical Program Expanded Abstracts 2019*, pages 1290–1294, 2019.

[51] W. He, R. Brossier, L. Metivier, and R.E. Plessix. Land seismic multi-parameter fwi in elastic vti media by simultaneously interpreting body waves and surface waves. In *Expanded Abstracts, 81th Annual EAGE Conference & Exhibition, London*, page Tu R08 09. EAGE, 2019.

[52] L. Metivier, R. Brossier, Q. Merigot, and E. Oudet. Graph space optimal transport for fwi : Auction algorithm, application to the 2d valhall case study. In *Expanded Abstracts, 81th Annual EAGE Conference & Exhibition, London*, page Tu R08 03. EAGE, 2019.

[53] T.M. Irnaka, R. Brossier, L. Métivier, T. Bohlen, and Y. Pan. Towards 3d 9c elastic full waveform inversion of shallow seismic wavefields - case study ettlingen line. In *Expanded Abstracts, 81th Annual EAGE Conference & Exhibition, London*, page We P01 04. EAGE, 2019.

[54] D. Teodor, C. Comina, L.V. Socco, F. Khosro Anjom, J. Virieux, R. Brossier, and P.T. Trinh. Elastic full waveform inversion tests for shallow targets reconstruction from surface waves analysis based initial models. In *Expanded Abstracts, 81th Annual EAGE Conference & Exhibition, London*, page Tu R16 13. EAGE, 2019.

[55] P.T. Trinh, R. Brossier, L. Lemaistre, L. Metivier, and J. Virieux. 3d elastic fwi with a non-linear model constraint : Application to a real complex onshore dataset. In *Expanded Abstracts, 81th Annual EAGE Conference & Exhibition, London*, page Th P01 07. EAGE, 2019.

[56] Yubing Li, R. Brossier, and L. Metivier. Combining approximate inverse and joint full waveform inversion for velocity model building. In *Expanded Abstracts, 81th Annual EAGE Conference & Exhibition, London*, page Th P01 05. EAGE, 2019.

[57] N. Kamath, R. Brossier, L. Metivier, and P. Yang. Multiparameter fwi of 3d obc dataset from the valhall field. In *Expanded Abstracts, 81th Annual EAGE Conference & Exhibition, London*, page Th R08 06. EAGE, 2019.

[58] Yang Li, R. Brossier, and L. Metivier. 3d frequency-domain elastic wave modeling using spectral element method with a parallel direct linear solver. In *Expanded Abstracts, 81th Annual EAGE Conference & Exhibition, London*, page Th R06 05. EAGE, 2019.

[59] J. Thurin, R. Brossier, and L. Metivier. Uncertainty quantification with ensemble-based fwi - application to 2d obc data from the valhall field. In *Expanded Abstracts, 81th Annual EAGE Conference & Exhibition, London*, page Tu R08 14. EAGE, 2019.

[60] L. Métivier, A. Allain, R. Brossier, Q. Mérigot, E. Oudet, and J. Virieux. A graph-space approach to optimal transport for full-waveform inversion. In *SEG Technical Program Expanded Abstracts 2018*, pages 1158–1162, 2018.

[61] Nishant Kamath, Romain Brossier, Ludovic Métivier, and Pengliang Yang. 3d acoustic/viscoacoustic time-domain fwi of obc data from the valhall field. In *SEG Technical Program Expanded Abstracts 2018*, pages 1093–1097, 2018.

[62] Daniela Teodor, Cesare Comina, Farbod Khosro Anjom, Laura Valentina Socco, Jean Virieux, Phuong-Thu Trinh, and Romain Brossier. Building initial models for full-waveform inversion of shallow targets by surface-waves dispersion curves clustering and data transform. In *SEG Technical Program Expanded Abstracts 2018*, pages 4738–4742, 2018.

[63] P.T. Trinh, R. Brossier, L. Métivier, and J. Virieux. Data-oriented strategy and vp/vs model-constraint for simultaneous vp and vs reconstruction in 3d viscoelastic fwi : Application to the seam ii foothill dataset. In *SEG Technical Program Expanded Abstracts 2018*, pages 1213–1217, 2018.

[64] L. Metivier, A. Allain, R. Brossier, Q. Merigot, E. Oudet, and J. Virieux. A graph-space optimal transport approach for full waveform inversion. In *Expanded Abstracts, 80th Annual EAGE Conference & Exhibition, Copenhagen*, page We A12 04. EAGE, 2018.

[65] W. He, R. Brossier, L. Metivier, and J. Virieux. A practical workflow of full waveform inversion to process land seismic data : Synthetic study. In *Expanded Abstracts, 80th Annual EAGE Conference & Exhibition, Copenhagen*, page Th A12 04. EAGE, 2018.

[66] P. Trinh, R. Brossier, L. Metivier, and J. Virieux. Data-windowing hierarchy in multiparameter elastic fwi : 3d synthetic foothills case study. In *Expanded Abstracts, 80th Annual EAGE Conference & Exhibition, Copenhagen*, page Th P3 11. EAGE, 2018.

[67] P. Yang, R. Brossier, L. Metivier, and J. Virieux. 3-d time-domain vti viscoacoustic full waveform inversion : Application to valhall field data. In *Expanded Abstracts, 80th Annual EAGE Conference & Exhibition, Copenhagen*, page Th A12 08. EAGE, 2018.

[68] Phuong-Thu Trinh, Romain Brossier, Ludovic Métivier, Laure Tavard, Jean Virieux, and Paul Wellington. Efficient 3d elastic fwi using a spectral-element method on cartesian-based mesh. In *SEG Technical Program Expanded Abstracts 2017*, pages 1533–1538, 2017.

[69] Wei Zhou, Romain Brossier, Jean Virieux, Pengliang Yang, and Stephane Operto. Joint full-waveform inversion for velocity model building : A real case study in the viscoacoustic approximation. In *SEG Technical Program Expanded Abstracts 2017*, pages 1422–1427, 2017.

[70] Julien Thurin, Romain Brossier, and Ludovic Métivier. An ensemble-transform kalman filter : Full-waveform inversion scheme for uncertainty estimation. In *SEG Technical Program Expanded Abstracts 2017*, pages 1307–1313, 2017.

[71] P.T. Trinh, R. Brossier, L. Métivier, J. Virieux, and P. Wellington. Structure-smoothing bessel filter for finite element mesh : Application on 3d elastic fwi. In *Expanded Abstracts, 79th Annual EAGE Conference & Exhibition, Paris*, page Th P4 15. EAGE, 2017.

[72] A. Pladys, R. Brossier, and L. Métivier. Fwi alternative misfit functions - what properties should they satisfy ? In *Expanded Abstracts, 79th Annual EAGE Conference & Exhibition, Paris*, page Tu P1 01. EAGE, 2017.

[73] P. Yang, R. Brossier, L. Métivier, and J. Virieux. A second-order adjoint truncated newton approach to time-domain multiparameter full waveform inversion in viscoacoustic medium. In *Expanded Abstracts, 79th Annual EAGE Conference & Exhibition, Paris*, page Tu A3 14. EAGE, 2017.

[74] R. Brossier, W. Zhou, S. Operto, and J. Virieux. From rwi to jfwi : including diving waves in reflection-based velocity model building. In *Expanded Abstracts, 79th Annual EAGE Conference & Exhibition, Paris*, page WS09 D04. EAGE, 2017.

[75] J. Thurin, R. Brossier, and L. Métivier. Ensemble-based uncertainty estimation in full waveform inversion. In *Expanded Abstracts, 79th Annual EAGE Conference & Exhibition, Paris*, page Tu P1 07. EAGE, 2017.

[76] Ludovic Metivier, Romain Brossier, Edouard Oudet, Quentin Mŕigot, and Jean Virieux. An optimal transport distance for full-waveform inversion : Application to the 2014 chevron benchmark data set. In *SEG Technical Program Expanded Abstracts 2016*, pages 1278–1283, 2016.

[77] Wei Zhou, Romain Brossier, Jean Virieux, and Stéphane Operto. Joint full-waveform inversion of early arrivals and reflections : A real obc case study with gas cloud. In *SEG Technical Program Expanded Abstracts 2016*, pages 1247–1251, 2016.

[78] Pengliang Yang, Romain Brossier, Ludovic Metivier, and Jean Virieux. Checkpointing-assisted reverse-forward simulation : An optimal recomputation method for fwi and rtm. In *SEG Technical Program Expanded Abstracts 2016*, pages 1089–1093, 2016.

[79] Isabella Masoni, Jean-Luc Boelle, Romain Brossier, and Jean Virieux. Layer stripping fwi for surface waves. In *SEG Technical Program Expanded Abstracts 2016*, pages 1369–1373, 2016.

[80] Paul Wellington Romain Brossier, Okba Hamitou, Stephane Garambois, and Jean Virieux. Preconditioning fwi with the sparse additive inverse laplacian correlation function. In *SEG Technical Program Expanded Abstracts 2016*, pages 1462–1466, 2016.

[81] Pengliang Yang, Romain Brossier, and Jean Virieux. Downsampling plus interpolation for wavefield reconstruction by reverse propagation. In *Expanded Abstracts, 78th Annual EAGE Conference & Exhibition, Vienna*, page Th SBT5 08. EAGE, 2016.

[82] L. Métivier, R. Brossier, Q. Mérigot, E. Oudet, and J. Virieux. Overcoming cycle skipping in fwi - an optimal transport approach. In *Expanded Abstracts, 78th Annual EAGE Conference & Exhibition, Vienna*, page Th SRS2 01. EAGE, 2016.

[83] Paul Wellington, Romain Brossier, Stéphane Garambois, and Jean Virieux. Laplacian based preconditioning of fwi : Using prior information from seismic reflection data. In *SEG Technical Program Expanded Abstracts 2015*, pages 1436–1440, 2015.

[84] L. Métivier, R. Brossier, S. Operto, and J. Virieux. Acoustic multi-parameter fwi for the reconstruction of p-wave velocity, density and attenuation : preconditioned truncated newton approach. In *SEG Technical Program Expanded Abstracts 2015*, pages 1198–1203, 2015.

[85] O. Hamitou, L. Métivier, S. Labbé, R. Brossier, and J. Virieux. Preconditioning and multiple-right hand sides strategies for the solution of the frequency-domain wave propagation problem using the cgmn method. In *SEG Technical Program Expanded Abstracts 2015*, pages 3612–3616, 2015.

[86] P. Amestoy, R. Brossier, A. Buttari, J.-Y. L'Excellent, T. Mary, L. Métivier, A. Miniussi, S. Operto, J. Virieux, and C. Weisbecker. 3d frequency-domain seismic modeling with a parallel blr multifrontal direct solver. In *SEG Technical Program Expanded Abstracts 2015*, pages 3606–3611, 2015.

[87] P. Amestoy, R. Brossier, A. Buttari, J.-Y. L'Excellent, T. Mary, L. Métivier, A. Miniussi, S. Operto, A. Ribodetti, J. Virieux, and C. Weisbecker. Efficient 3d frequency-domain full-waveform inversion of ocean-bottom cable data with sparse block low-rank direct solver : a real data case study from the north sea. In *SEG Technical Program Expanded Abstracts 2015*, pages 1303–1308, 2015.

[88] L. Combe, R. Brossier, L. Metivier, V. Monteiller, S. Operto, and J. Virieux. Geoinv3d : A scalable forward modeling framework for full waveform inversion problem. In *Second EAGE Workshop on High Performance Computing for Upstream*, page HPC10. EAGE, 2015.

[89] R. Valensi, R. Brossier, V. Baltazart, D. Leparoux, and P. Côte. A new kind of polarization-based misfit function - theoretical formulation and application to full waveform inversion. In *Expanded Abstracts, 77th Annual EAGE Conference & Exhibition, Madrid*, page Tu N104 03. EAGE, 2015.

[90] P.J. Wellington, R. Brossier, S. Garambois, and J. Virieux. 2d acoustic time domain full waveform inversion - a broadband application in the carnarvon basin, australia. In *Expanded Abstracts, 77th Annual EAGE Conference & Exhibition, Madrid*, page We P1 16. EAGE, 2015.

[91] L. Gao, R. Brossier, B. Pajot, J. Tago, and J. Virieux. An immersed free surface boundary treatment for seismic wave simulation. In *Expanded Abstracts, 77th Annual EAGE Conference & Exhibition, Madrid*, page Tu N114 11. EAGE, 2015.

[92] S. Operto, A. Miniussi, R. Brossier, L. Combe, N. Haller, E. Kjos, L. Métivier, R. Milne, A. Ribodetti, Z. Song, J. Virieux, and Y. Zheng. Efficient 3d frequency-domain full-waveform inversion of ocean-bottom cable data - application to valhall. In *Expanded Abstracts, 77th Annual EAGE Conference & Exhibition, Madrid*, page Th N104 04. EAGE, 2015.

[93] R. Valensi, R. Brossier, D. Leparoux, and P. Côte. Alternative multicomponent observables for robust full-waveform inversion - application to a near-surface example. In *Expanded Abstracts, 77th Annual EAGE Conference & Exhibition, Madrid*, pages WS10–A03. EAGE, 2015.

[94] W. Zhou, R. Brossier, S. Operto, and J. Virieux. Joint full waveform inversion of diving waves and reflected waves for velocity model building. In *Expanded Abstracts, 77th Annual EAGE Conference & Exhibition, Madrid*, pages WS05–D02. EAGE, 2015.

[95] I. Masoni, R. Brossier J. Virieux, and J. L. Boelle. Robust full waveform inversion of surface waves. In *SEG Technical Program Expanded Abstracts 2014*, pages 1126–1130, 2014.

[96] W. Zhou, R.Brossier, S. Operto, and J. Virieux. Acoustic multiparameter full-waveform inversion through a hierachical scheme. In *SEG Technical Program Expanded Abstracts 2014*, pages 1249–1253, 2014.

[97] F. Bretaudeau, R. Brossier, J. Virieux, and L. Métivier. First-arrival delayed tomography using 1st and 2nd order adjoint-state method. In *SEG Technical Program Expanded Abstracts 2014*, pages 4757–4762, 2014.

[98] Y. Li, L. Métivier, R. Brossier, B. Han, and J. Virieux. Carp-cg : A robust parallel iterative solver for frequency-domain elastic wave modeling, application to the marmousi2 model. In *SEG Technical Program Expanded Abstracts 2014*, pages 3487–3492, 2014.

[99] L. Metivier, R. Brossier, J. Virieux, and S. Operto. Smart : Robust absorbing layer and s-waves filtering for acoustic anisotropic wave simulation. In *SEG Technical Program Expanded Abstracts 2014*, pages 3417–3421, 2014.

[100] Y. Li, L. Metivier, R. Brossier, B. Han, and J. Virieux. A robust parallel iterative solver for frequency-domain elastic wave modeling. In *Expanded Abstracts, 76th Annual EAGE Conference & Exhibition, Amsterdam*, page Th P10 01. EAGE, 2014.

[101] W. Zhou, R. Brossier, S. Operto, and J. Virieux. Combining diving and reflected waves for velocity model building by waveform inversion. In *Expanded Abstracts, 76th Annual EAGE Conference & Exhibition, Amsterdam*, page We E106 15. EAGE, 2014.

[102] I. Masoni, R. Brossier, J.L. Boelle, and J. Virieux. Generic gradient expression for robust fwi of surface waves. In *Expanded Abstracts, 76th Annual EAGE Conference & Exhibition, Amsterdam*, page Th E106 01. EAGE, 2014.

[103] I. Masoni, W. Zhou, R. Brossier, L. Metivier, S. Operto, and J. Virieux. Near-surface full waveform inversion using surface waves and reflected waves. In *Expanded Abstracts, 76th Annual EAGE Conference & Exhibition, Amsterdam*, pages WS6–B01. EAGE, 2014.

[104] L. Metivier, R. Brossier, S. Operto, and J. Virieux. A robust absorbing layer method for seismic wave simulation in anisotropic media. In *Expanded Abstracts, 76th Annual EAGE Conference & Exhibition, Amsterdam*, page Tu G105 16. EAGE, 2014.

[105] S. Operto, R. Brossier, L. Combe, , L. Metivier, A. Ribodetti, and J. Virieux. A frequency-domain seismic modeling engine for 3d visco-acoustic vti full waveform inversion of fixed-spread data. In *Expanded Abstracts, 76th Annual EAGE Conference & Exhibition, Amsterdam*, page Th G105 11. EAGE, 2014.

[106] B. Pajot, Y. Li, V. Berthoumieux, C. Weisbecker, R. Brossier, L. Metivier, P. Thierry, S. Operto, and J. Virieux. A review of recent forward problem developments used for frequency-domain fwi. In *Expanded Abstracts, 76th Annual EAGE Conference & Exhibition, Amsterdam*, page We G102 06. EAGE, 2014.

[107] R. Brossier, B. Pajot, L. Combe, S. Operto, L. Metivier, and J. Virieux. Time and frequency-domain fwi implementations based on time solver - analysis of computational complexities. In *Expanded Abstracts, 76th Annual EAGE Conference & Exhibition, Amsterdam*, page We G102 05. EAGE, 2014.

[108] L. Metivier, R. Brossier, S. Operto, and J. Virieux. Multi-parameter fwi - an illustration of the hessian operator role for mitigating trade-off between parameter classes. In *Expanded Abstracts, 6th EAGE International Conference & Exhibition, Saint Petersburg*, page Tu BC 01. EAGE, 2014.

[109] C. Weisbecker, P. Amestoy, O. Boiteau, R. Brossier, A. Buttari, J. L'Excellent, S. Operto, and J. Virieux. 3d frequency-domain seismic modeling with a block low-rank algebraic multifrontal direct solver. In *SEG Technical Program Expanded Abstracts 2013*, pages 3411–3416, 2013.

[110] R. Brossier, J. Virieux, and S. Operto. Toward data-domain waveform inversion of reflected waves. In *SEG Technical Program Expanded Abstracts 2013*, pages 892–897, 2013.

[111] I. Masoni, R. Valensi, R. Brossier, J. Virieux, J.L. Boelle, D. Leparoux, and P. Côte. Toward a better full waveform inversion of surface waves. In *Expanded Abstracts, 19th European Meeting of Environmental and Engineering Geophysics, Bochum*, page 19200. EAGE, 2013.

[112] Florian Aulanier, Barbara Nicolas, Philippe Roux, Romain Brossier, and Jérôme I. Mars. Time-angle ocean acoustic tomography using sensitivity kernels : Numerical and experimental inversion results. In *ICA 2013 Montreal*, volume 19, page 005019. ASA, 2013.

[113] A. Asnaashari, R. Brossier, S. Garambois, F. Audebert, and J. Virieux. Target-oriented time-lapse imaging using fwi with prior model information. In *Expanded Abstracts, 75th Annual EAGE Conference & Exhibition, London*, page We P07 06. EAGE, 2013.

[114] R. Brossier, S. Operto, and J. Virieux. Toward data-domain waveform inversion of reflected waves. In *Expanded Abstracts, 75th Annual EAGE Conference & Exhibition, London*, pages WS6, F01. EAGE, 2013.

[115] C. Castellanos, L. Metivier, S. Operto, and R. Brossier. Fast full waveform inversion with source encoding and second order optimization methods. In *Expanded Abstracts, 75th Annual EAGE Conference & Exhibition, London*, page We 11 10. EAGE, 2013.

[116] I. Masoni, R. Brossier, J. Virieux, and J. L. Boelle. Alternative misfit functions for fwi applied to surface waves. In *Expanded Abstracts, 75th Annual EAGE Conference & Exhibition, London*, page Th P10 13. EAGE, 2013.

[117] T.L. Tonellot, S. Operto, R. Brossier, and J. Virieux. 2d waveform inversion for near surface characterization - application to a land dataset from saudi arabia. In *Expanded Abstracts, 75th Annual EAGE Conference & Exhibition, London*, page Th P10 12. EAGE, 2013.

[118] R. Valensi, R. Brossier, D. Leparoux, F. Bretaudeau, and P. Cote. Benefits of polarization observables for imaging very shallow media by full waveform inversion. In *Expanded Abstracts, 75th Annual EAGE Conference & Exhibition, London*, page Th P10 14. EAGE, 2013.

[119] L. Métivier, R. Brossier, S. Operto, and J. Virieux. Application of a preconditioned truncated newton method to full waveform inversion. In *Proceedings of the 11th International Conference on Mathematical and Numerical Aspects of Waves*, pages 55–56, 2013.

[120] R. Brossier, V. Etienne, G. Hu, S. Operto, and J. Virieux. Performances of 3D frequency-domain full-waveform inversion based on frequency-domain direct-solver and time-domain modeling : application to 3D OBC data from the Valhall field. *International Petroleum Technology Conference, Beijing, China*, page IPTC 16881, 2013.

[121] R. Valensi, D. Leparoux, O. Durand, F. Bretaudeau, R. Brossier, and P. Cote. Quantitative imagery of shallow structures with multicomponent : Full waveform inversion and physical scale modeling. In *Expanded Abstracts, 18th European Meeting of Environmental and Engineering Geophysics, Paris*. EAGE, 2012.

[122] F. Lavoué, R. Brossier, S. Garambois, and J. Virieux. Permittivity and conductivity reconstruction by full waveform inversion of gpr data using the l-bfgs-b algorithm. In *Expanded Abstracts, 18th European Meeting of Environmental and Engineering Geophysics, Paris*. EAGE, 2012.

[123] L Métivier, R Brossier, J Virieux, and S Operto. The truncated newton method for full waveform inversion. *Journal of Physics : Conference Series*, 386(1) :012013, 2012.

[124] Amir Asnaashari, Romain Brossier, Stéphane Garambois, François Audebert, Pierre Thore, and Jean Virieux. Time-lapse imaging using regularized FWI : a robustness study. In *SEG Technical Program Expanded Abstracts 2012*, volume 31, pages 1–5. SEG, 2012.

[125] L. Métivier, R. Brossier, J. Virieux, and S. Operto. The truncated newton method for full waveform inversion. In *SEG Technical Program Expanded Abstracts 2012*, pages 1–5, 2012.

[126] Guanghui Hu, Vincent Etienne, Clara Castellanos, Stéphane Operto, Romain Brossier, and Jean Virieux. Assessment of 3d acoustic isotropic full waveform inversion of wide-azimuth obc data from valhall. In *SEG Technical Program Expanded Abstracts 2012*, pages 1–6, 2012.

[127] R. Valensi, D. Leparoux, O. Durand, F. Bretaudeau, R. Brossier, and P. Cote. Benefits of the horizontal component in quantitative imaging of near-surface interfaces with lateral variations : synthetic model inversion and reduced scale modeling. In *Acoustics 2012*, 2012.

[128] Y. Gholami, R. Brossier, S. Operto, A. Ribodetti, J. Virieux, O. Barkved, and J. Kommedal. 2d multi-parameter vti acoustic full waveform inversion of wide-aperture obc data from the valhall field. In *Expanded Abstracts, 74th Annual EAGE Conference & Exhibition, Copenhagen*, page W032. EAGE, 2012.

[129] L. Métivier, R. Brossier, J., and S. Operto. Toward gauss-newton and exact newton optimization for full waveform inversion. In *EAGE, 74th Annual EAGE Conference & Exhibition, Copenhagen*, page P016, 2012.

[130] D. Pageot, S. Operto, M. Vallée, R. Brossier, and J. Virieux. Two-dimensional elastic full-waveform inversion of passive teleseismic data for lithospheric imaging. In *Expanded Abstracts, 74th Annual EAGE Conference & Exhibition, Copenhagen*, page P345. EAGE, 2012.

[131] V. Prieux, R. Brossier, S. Operto, and J. Virieux. Two-dimensional anisotropic visco-elastic full waveform inversion of wide-aperture 4C OBC data from the Valhall field. In *Expanded Abstracts*, page W013. EAGE, 2012.

[132] J. Virieux, R. Brossier, L. Métivier, V. Etienne, and S. Operto. Challenges in the full waveform inversion regarding data, model and optimisation. In *Expanded Abstracts, 74th Annual EAGE Conference & Exhibition, Copenhagen*. EAGE, 2012.

[133] A. Asnaashari, R. Brossier, S. Garambois, F. Audebert, P. Thore, and J. Virieux. Regularized full waveform inversion including prior model information. In *Expanded abstracts, 74^{t}h Annual EAGE Conference & Exhibition, Copenhagen*, page W031. EAGE, 2012.

[134] J. Virieux, R. Brossier, S. Garambois, S. Operto, and A. Ribodetti. Making seismic data as csem data through the bäcklund transform. In *Expanded Abstracts, 5th Saint Petersburg International Conference & Exhibition*. EAGE, 2012.

[135] Romain Brossier and Philippe Roux. Hierarchical waveform inversion with double beamforming. In *SEG Technical Program Expanded Abstracts 2011*, pages 2389–2394, 2011.

[136] J. Virieux, S. Operto, A. Asnaashari, R. Brossier, C. Castellanos, V. Etienne, Y. Gholami, G. Hu, D. Pageot, V. Prieux, A. Ribodetti, and A. Roques. A multi-scale strategy for handling broadband seismic data. In *SEG Technical Program Expanded Abstracts 2011*, pages 4360–4373, 2011.

[137] Y. Gholami, R. Brossier, Stéphane Operto, A. Ribodetti, and Jean Virieux. Acoustic vti full waveform inversion : Sensitivity analysis and realistic synthetic examples. In *SEG Technical Program Expanded Abstracts 2011*, pages 2465–2470, 2011.

[138] Y. Gholami, R. Brossier, S. Operto, V. Prieux, A. Ribodetti, and J. Virieux. Two-dimensional acoustic anisotropic (vti) full waveform inversion : The valhall case study. In *SEG Technical Program Expanded Abstracts 2011*, pages 2543–2548, 2011.

[139] Clara Castellanos, Vincent Etienne, Guanghui Hu, Stephane Operto, Romain Brossier, and Jean Virieux. Algorithmic and methodological developments towards full waveform inversion in 3d elastic media. In *SEG Technical Program Expanded Abstracts 2011*, pages 2793–2798, 2011.

[140] Amir Asnaashari, Romain Brossier, Stéphane Garambois, François Audebert, Pierre Thore, and Jean Virieux. Sensitivity analysis of time-lapse images obtained by differential waveform inversion with respect to reference model. In *SEG Technical Program Expanded Abstracts 2011*, volume 30, pages 2482–2486. SEG, 2011.

[141] R. Valensi, F. Bretaudeau, D. Leparoux, O. Durand, R. Brossier, and P. Cote. Seismic horizontal component measurement - reduced scale modeling and benefits in full waveform inversion. In *Expanded Abstracts, 17th European Meeting of Environmental and Engineering Geophysics, Leicester*. EAGE, 2011.

[142] R. Brossier, C. Castellanos, B. Dupuy, V. Etienne, Y. Gholami, G. Hu, S. Operto, D. Pageot, V. Prieux, A. Ribodetti, O. Roques, and J. Virieux. Hierarchical strategy for full waveform inversion in the frequency domain. In *ICIAM 2011*. SIAM, 2011.

[143] R. Brossier, C. Castellanos, B. Dupuy, V. Etienne, Y. Gholami, G. Hu, S. Operto, D. Pageot, V. Prieux, A. Ribodetti, O. Roques, and J. Virieux. Hierarchical strategy for full waveform inversion in the frequency domain. In *12th International Congress of The Brazilian Geophysical Society*. SBGf, 2011.

[144] J. Virieux, R. Brossier, H. Calandra, V. Etienne, S. Operto, A. Ribodetti, and R. E. Plessix. An overview of numerical methods suitable for geophysical imaging. In *Expanded Abstracts, 73th Annual EAGE Conference & Exhibition, Vienna*. EAGE, 2011.

[145] R. Brossier and P. Roux. Seismic imaging by frequency-domain double-beamforming full-waveform inversion. In *Expanded Abstracts, 73rd Annual International Meeting, EAGE*, page C039, 2011.

[146] A. Roques, R. Brossier, J. Virieux, and J. Mars. High resolution seismic imaging of very shallow highly contrasted structures. In *Expanded Abstracts, 73rd Annual International Meeting, EAGE*, page P052, 2011.

[147] Y. Gholami, A. Ribodetti, Stéphane Operto, R. Brossier, and Jean Virieux. Imaging of vti media by elastic frequency-domain full-waveform inversion of global offset data. In *SEG Technical Program Expanded Abstracts 2010*, pages 998–1002, 2010.

[148] V. Prieux, S. Operto, R. Brossier, J. Virieux, J.H. Kommendal, and O.I. Barkved. Application of 2d acoustic frequency-domain full-waveform inversion to obc wide-aperture data from the valhall field. In *SEG Technical Program Expanded Abstracts 2010*, pages 920–924, 2010.

[149] F. Bretaudeau, D. Leparoux, R. Brossier, S. Operto, and O. Abraham. 2D Quantitative Imaging by Elastic Full Waveform Inversion : Application to a Physical Scale Model. In *Expanded Abstracts, 16^{t}h European Meeting of Environmental and Engineering Geophysics*, page P53, 2010.

[150] R. Brossier, Y. Gholami, J. Virieux, and S. Operto. 2D frequency-domain seismic wave modeling in VTI media based on a hp-adaptive discontinuous galerkin method. In *Expanded Abstracts, 72th Annual International Meeting, EAGE*, page C046, 2010.

[151] R. Brossier, S. Operto, and J. Virieux. Robust frequency-domain multi-parameter elastic full waveform inversion. In *Expanded Abstracts, 72th Annual International Meeting, EAGE*, page G004, 2010.

[152] Y. Gholami, A. Ribodetti, R. Brossier, S. Operto, and J. Virieux. Sensitivity analysis of full waveform inversion in VTI media. In *Expanded Abstracts, 72th Annual International Meeting, EAGE*, page P371, 2010.

[153] J. Virieux, S. Operto, H. Ben Hadj Ali, R. Brossier, V. Etienne, Y. Gholami, G. Hu, Y. Jia, D. Pageot, V. Prieux, and A. Ribodetti. An overview of the seiscope project on frequency-domain full waveform inversion multiparameter inversion and efficient 3d full-waveform inversion . In *Expanded Abstracts, 72th Annual International Meeting, EAGE*, 2010.

[154] Y. Gholami, A. Ribodetti, R. Brossier, S. Operto, and J. Virieux. Imaging of VTI media from wide-aperture data by frequency-domain full-waveform inversion. In *Expanded Abstracts, 72th Annual International Meeting, EAGE*, page WS6, 2010.

[155] D. Pageot, S. Operto, M. Vallée, R. Brossier, and J. Virieux. Lithospheric imaging from teleseismic data by frequency-domain elastic full-waveform tomography. In *Expanded abstracts*, page WS6. EAGE, 2010.

[156] Romain Brossier, Stéphane Operto, and Jean Virieux. Two-dimensional seismic imaging of the valhall model from synthetic obc data by frequency-domain elastic full-waveform inversion. In *SEG Technical Program Expanded Abstracts 2009*, pages 2293–2297, 2009.

[157] Vincent Prieux, Stéphane Operto, R. Brossier, and Jean Virieux. Application of acoustic full waveform inversion to the synthetic valhall velocity model. In *SEG Technical Program Expanded Abstracts 2009*, pages 2268–2272, 2009.

[158] R. Brossier, S. Operto, and J. Virieux. 2D elastic frequency-domain full-waveform inversion for imaging complex onshore structures. In *Expanded Abstracts*, page U019. EAGE, 2009.

[159] A. Romdhane, G. Grandjean, R. Brossier, S. Operto, and F. Réjiba. Full waveform inversion of seismic data for 2d shallow structures imagery : Limitations and perspectives. In *Expanded Abstracts*, page P002. EAGE, 2009.

[160] F. Bretaudeau, D. Leparoux, R. Brossier, and O. Abraham. Small scale modeling, a tool to assess subsurface imaging methods - application to seismic full waveform inversion. In *Expanded Abstracts*, page P041. EAGE, 2009.

[161] Romain Brossier, Jean Virieux, and Stéphane Operto. 2d frequency-domain elastic full-waveform inversion using a ¡italic¿p¡/italic¿¡sub¿0¡/sub¿ finite volume forward problem. In *SEG Technical Program Expanded Abstracts 2008*, pages 2016–2020, 2008.

[162] V. Etienne, R. Brossier, S. Operto, and J. Virieux. A 3D parsimonious Finite-Volume Frequency-Domain method for elastic wave modelling. In *Expanded Abstracts, 70th Annual EAGE Conference & Exhibition, Rome*. EAGE, 2008.

[163] R. Brossier, J. Virieux, and S. Operto. Parsimonious Finite-volume Frequency-domain Method for 2D P-SV-wave Modelling. In *Expanded Abstracts, 70th Annual EAGE Conference & Exhibition, Rome*. EAGE, 2008.

[164] F. Sourbier, A. Haidar, L. Giraud, R. Brossier, S. Operto, and J. Virieux. Combining direct and iterative solvers for improving effciency of solving wave equations when considering multi-sources problems. In *Workshop of the 70th Annual EAGE Conference & Exhibition, Roma*. Eur. Ass. Expl.Geophys, 2008.

[165] R. Brossier, J. Virieux, and S. Operto. Finite-volume method for 2d psv elastodynamic equations in frequency domain with velocity-parsimonious formulation. In *SEG Technical Program Expanded Abstracts 2007*, pages 2094–2098, 2007.

[166] J. Rodes, R. Brossier, X. J. Gong, and J. Rousseau. Etude des performances des structures composites réparées. In *Matériaux 2006, CM-13-0940*, 2006.

Conferences participation without Proceedings

[1] L. Métivier, R. Brossier, S. Operto, and J. Virieux. Combining asymptotic linearized inversion and full waveform inversion. In *SIAM GEOSCIENCES - Stanford University, Stanford, California, USA*. SIAM, 2015.

[2] R. Brossier, W. Zhou, S. Operto, and J. Virieux. Combining reflected and diving waves for multi-scale Full Waveform Inversion (invited keynote speaker). In *2015 SEG Middle East Workshop - Full-waveform Inversion : Filling the gaps, Abu Dhabi*. SEG, 2015.

[3] S. Operto, A. Miniussi, R. Brossier, L. Combe, L. Métivier, A. Ribodetti, and J. Virieux. Efficient 3D frequency-domain FWI of OBC data in the visco-acoustic VTI approximation. In *2015 SEG Middle East Workshop - Full-waveform Inversion : Filling the gaps, Abu Dhabi*. SEG, 2015.

[4] R. Brossier, W. Zhou, S. Operto, and J. Virieux. Full Waveform Inversion of Diving & Reflected Waves based on Scale Separation for Velocity and Impedance Imaging (invited). In *Geophysical Research Abstracts, EGU General Assembly, 17, EGU2015-4603-1*. EGU, 2015.

[5] J. Tago, L. Métivier, R. Brossier, and J. Virieux. Full Waveform Inversion Using the Adjoint Method for Earthquake Kinematics Inversion. In *EOS Trans. AGU, abstract S12C-04*. American Geophysical Union, San Francisco, USA, 2014.

[6] R. Brossier, L. Combe, L. Métivier, S. Operto, B. Pajot, and J. Virieux. Design of seismic modeling engines and optimization algorithms for fwi applications. In *EAGE Workshop on High Performance Computing for Upstream - Crete, Greece*. EAGE, 2014.

[7] J. Virieux, F. Bretaudeau, L. Métivier, and R. Brossier. Joint inversion of seismic velocities and source location without rays using the truncated Newton and the adjoint-state method. In *EOS Trans. AGU, abstract S22B-04*. American Geophysical Union, San Francisco, USA, 2013.

[8] F. Bretaudeau, L. Métivier, R. Brossier, and J. Virieux. The truncated Newton using 1st and 2nd order adjoint-state method : a new approach for traveltime tomography without rays. In *EOS Trans. AGU, abstract S33A-2388*. American Geophysical Union, San Francisco, USA, 2013.

[9] R. Brossier, V. Etienne, G. Hu, S. Operto, and J. Virieux. Performance and Real Data Application of 3D Frequency-domain Full-waveform Implementations : Frequency-domain Direct-solver versus Time-domain-based Modeling. In *SIAM conference on computational science and engineering*. SIAM, 2013.

[10] R. Brossier, Y. Gholami, V. Prieux, S. Operto, A. Ribodetti, and J. Virieux. Multiparameter seismic imaging by Full Waveform Inversion : an application to the Valhall oil field in North Sea. In *EOS Trans. AGU, abstract S33D-08*. American Geophysical Union, San Francisco, USA, 2012.

[11] L. Métivier, R. Brossier, J. Virieux, and S. Operto. Gradient-based methods for Full Waveform Inversion : accounting for the inverse Hessian operator. In *EOS Trans. AGU, abstract S41A-2387*. American Geophysical Union, San Francisco, USA, 2012.

[12] L. Métivier, R. Brossier, J. Virieux, and S. Operto. The truncated Newton method and Full Waveform Inversion. In *SIAM conference on Imaging Science*. SIAM, 2012.

[13] F. Bretaudeau, D. Leparoux, R. Brossier, O. Durand, S. Operto, J. Virieux, and O. Abraham. Small scale seismic measurement bench to assess imaging methods Application to Full Waveform Inversion of shallow structures. In *EOS Trans. AGU, abstract NS41A-06*. American Geophysical Union, San Francisco, USA, 2011.

[14] D. Pageot, S. Operto, M. Vallée andR. Brossier, and J. Virieux. Lithospheric imaging from teleseismic data by frequency-domain elastic full-waveform tomography. In *EOS Trans. AGU, abstract S41A-2160*. American Geophysical Union, San Francisco, USA, 2011.

[15] S. Garambois, J. Deparis, F. Lavoué, R. Brossier, and J. Virieux. Inversion of dispersive multioffset GPR data for thin-layer characterization : Application to fracture properties estimation. In *EOS Trans. AGU, abstract NS41A-02*. American Geophysical Union, San Francisco, USA, 2011.

[16] R. Brossier, P. Roux, E. Tudisco, and S. Hall. Seismic imaging by double beamforming full waveform inversion. In *EOS Trans. AGU, abstract S31A-2047*. American Geophysical Union, San Francisco, USA, 2010.

[17] J. Virieux, S. Operto, A. Ribodetti, H. Ben Hadj Ali, R. Brossier, V. Etienne, Y. Gholami, G. Hu, Y. Jia, D. Pageot, and V. Prieux. Efficient 2D and 3D multiparameters frequency-domain full waveform inversion (invited). In *EOS Trans. AGU, abstract S42A-01.* American Geophysical Union, San Francisco, USA, 2010.

[18] A. Roques, R. Brossier, J. Virieux, and J. Mars. High-resolution seismic imaging applied to the characterization of very shallow highly contrasted structures. In *EOS Trans. AGU, abstract SNS41A-1500.* American Geophysical Union, San Francisco, USA, 2010.

[19] D. Pageot, S. Operto, M. Vallée, R. Brossier, and J. Virieux. Lithospheric imaging from teleseismic data by frequency-domain elastic full-waveform tomography. In *EOS Trans. AGU, abstract S31A-2036.* American Geophysical Union, San Francisco, USA, 2010.

[20] R. Brossier, S. Operto, and J. Virieux. Multiparameter Elastic Full Waveform Inversion : 2D synthetic applications. In *ESC General Assembly, Montpellier (Fr), SW3/TH/O1.* ESC General Assembly, Montpellier (Fr), 2010.

[21] D. Pageot, S. Operto, M. Vallée, R. Brossier, and J. Virieux. Lithospheric imaging from teleseismic data by frequency-domain elastic full-waveform tomography. In *ESC General Assembly, Montpellier (Fr), SW3/P5/ID190*. ESC General Assembly, Montpellier (Fr), 2010.

[22] F. Bretaudeau, D. Leparoux, R. Brossier, and O. Abraham. Laser-ultrasonic laboratory to model on-shore seismic experiment. In *2^{nd} International Symposium on Laser-Ultrasonic*. 2^{nd} International Symposium on Laser-Ultrasonic, 2010.

[23] R. Brossier, S. Operto, and J. Virieux. 2D multi-parameter elastic seismic imaging by frequency-domain L_1-norm full waveform inversion (invited). In *Geophysical Research Abstracts, EGU General Assembly, 12, EGU2010-7755*. EGU, 2010.

[24] R. Brossier, , S. Operto, and J. Virieux. Robust frequency-domain elastic Full Waveform Inversion : which norm ? In *EOS Trans. AGU, abstract NS31A-1149*. American Geophysical Union, San Francisco, USA, 2009.

[25] R. Brossier, , S. Operto, and J. Virieux. 2D Seismic Imaging of Elastic Parameters by Frequency Domain Full Waveform Inversion. In *EOS Trans. AGU, abstract S11C-1766*. American Geophysical Union, San Francisco, USA, 2008.

[26] R. Brossier, S. Operto, and J. Virieux. Parsimonious finite-volume frequency-domain method for 2D P-SV-wave modeling. In *Geophysical Research Abstracts, EGU General Assembly, 10, EGU2008-A-05459*. EGU, 2008.